

Extract product line from Smart Home specifications

mcts

June 3, 2009

1 Scenario SC01

1.1 Description:

The system places a call to the fire guard department.

1.2 Flow of events

Code	Feature	User Action	System Response
SC01.1	-	The home owner selects the register inhabitant option in the security configuration menu.	The inhabitant personal form is displayed.
SC01.2	-	The home owner selects the proceed option.	The system asks the home owner her configuration password.
SC01.3	-	The home owner fills in the configuration password and selects the proceed option.	The system register the new inhabitant, allowing she to get access to the smart house.

2 Scenario SC02(A)

2.1 Description:

This scenario allows a registered inhabitant to enter into the house. Using FINGERPRINT.

2.2 Flow of events

Code	Feature	User Action	System Response
SC02(A).1	-	The inhabitant request access to the home at the main entrance.	The system asks the inhabitant to capture her fingerprint.
SC02(A).2	-	The new inhabitant put her finger in the fingerprint reader.	The system recognizes the fingerprint impression.

3 Scenario SC02(B)

3.1 Description:

This scenario allows a registered inhabitant to enter into the house. Using PASSWORD

3.2 Flow of events

Code	Feature	User Action	System Response
SC02(B).1	-	The inhabitant request access to the home at the main entrance.	The system requests to the user to pass the smart card.
SC02(B).2	-	The inhabitant inserts the smart card into the card reader.	The system asks the inhabitant's password, in order to authorize her access to the smart home.
SC02(B).3	-	The inhabitant informs her password.	The system verifies that the password is valid for the registered inhabitant.

4 Scenario SC03

4.1 Description:

This scenario allows a guest to enter into the house, but there is no resident there. This scenario is useful, for example, when the home owner family is traveling but an employee, a relative or a closer friend needs access to the house.

4.2 Flow of events

Code	Feature	User Action	System Response
SC03.1	-	The guest request access to the home at the main entrance.	The system asks the guest name and the reason for requesting access to the house.
SC03.2	-	The guest fills in the requested information.	The system takes a guest photograph and sends one message to the home owner mobile device.
SC03.3	-	-	The system asks for the guest to wait a few minutes.
SC03.4	-	The home sends an authorization allowing the guest to enter into the house.	The system receives the authorization message.

5 Scenario SC04

5.1 Description:

This scenario describes the behavior that have to be triggered when an event of attempting to intrude the house is detected.

5.2 Flow of events

Code	Feature	User Action	System Response
SC04.1	-	The presence sensor identifies that someone (or something) is trying to intrude into the smart home. This might be deduced by observing any suspect event (forcing or braking) in the external doors and windows	The system emits the configured internal sound alarm.
SC04.2	-	-	The system places a call to the police department.

6 Scenario SC05

6.1 Description:

This scenario describes the behavior that have to be triggered when an event that might characterizes fire or smoke in the smart home is detected.

6.2 Flow of events

Code	Feature	User Action	System Response
SC05.01	-	The fire sensor identifies a possible fire occurrence (based on smoke or temperature variation).	The system emits the configured internal sound alarm.
SC05.02	-	-	The system places a call to the fire guard department.

7 Scenario ADV-BEDROOM

7.1 Description:

Lock bedrooms

7.2 Pointcut:

SC04.2

7.3 Flow of events

Code	Feature	User Action	System Response
ADV-BEDROOM.1	-	-	The system locks the access to the bedrooms.

8 Scenario ADV-LIGHT

8.1 Description:

Switch Lights

8.2 Pointcut:

SC04.2

8.3 Flow of events

Code	Feature	User Action	System Response
ADV-LIGHT.1	-	-	The system turns on the external and internal lights.

9 Scenario ADV-WELCOME

9.1 Description:

Welcome.

9.2 Pointcut:

SC02(B).3, SC02(A).2, SC03.4

9.3 Flow of events

Code	Feature	User Action	System Response
ADV-WELCOME.1	-	-	The system displays the message of successful authorization.
ADV-WELCOME.2	-	-	The system opens the front door and register the occurrence.
ADV-WELCOME.3	-	-	After \downarrow TimeToClose $_i$, the front door is closed.

10 Scenario ADV1(A)

10.1 Description:

Use PASSWORD

10.2 Pointcut:

SC01.1

10.3 Flow of events

Code	Feature	User Action	System Response
ADV1(A).1	-	The home owner fills in the inhabitant personal form and selects the proceed option.	The system asks for the inhabitant password (and password confirmation) that allows her to get access to the home.
ADV1(A).2	-	The new inhabitant fills in the password (and confirmation password) for getting access to the home.	The system verifies that the password and confirmation password are equal. The system asks the home owner to select the proceed option.

11 Scenario ADV1(B)

11.1 Description:

Uses FINGERPRINT

11.2 Pointcut:

SC01.1

11.3 Flow of events

Code	Feature	User Action	System Response
ADV1(B).1	-	The home owner fills in the inhabitant personal form and selects the proceed option.	The system asks the inhabitant to capture her fingerprint.
ADV1(B).2	-	The new inhabitant put her finger in the fingerprint reader.	The system captures the mark of the inhabitant fingerprint and asks the home owner to proceed.

12 Configuration Knowledge

Expression	Transformations
Guest Authorization	select scenario SC03
Fire Detection	select scenario SC05
And(Emit Sound Alarm, Place a Phone Call, Intrusion Detection)	select scenario SC04
Entrance Autorization	evaluate advice ADV-Welcome
Lock Doors	evaluate advice ADV-Bedroom
Switch lights on	evaluate advice ADV-Light
Password	select scenario SC02(B), evaluate advice ADV1(A)
Fingerprint	select scenario SC02(A), evaluate advice ADV1(B)
Time To Close	bind parameter TimeToClose to Time To Close
Register Inhabitant	select scenario SC01